

April 2016


<http://media.diversitech.com/doc/DOC04045.pdf>

Page 1 of 7

Wire/Cable Ties, Mounts, Clamps

Black Nylon Wire Ties

These wire ties are perfect for securing wires. You can choose from an assortment of sizes.




Catalog No.	Description	UOM	Order Multiple	List Price
WTB11C	Black wire ties, 11in. nylon, 50 tensile strength, 100pk	PK	1	\$25.32

Fittings

Mini Split Condensate Drain


A unique drain line for mini-split units. This large diameter drain line is typical for mini-split installations. Furnished in 160 feet lengths with cut marks every 3.28 feet.



Catalog No.	Description	UOM	Order Multiple	List Price
230-DL16	5/8in. ID Mini-Split Drain Line, 160ft. roll	EA	1	\$136.48
230-DL16-20	Mini-Split DL, 5/8in.ID - 20ft	EA	1	\$21.48
230-DL20	3/4in. ID Mini-Split Drain Line, 160ft. roll	EA	1	\$0.00

Adjustable Flat Bend

Adjustable flat bends flex from 45 to 90 degrees and make it easy to route the SpeediChannel™ around an obstacle. Each adjustable bend is individually packed and includes stainless steel screws.



Catalog No.	Description	UOM	Order Multiple	List Price
230-AFB3	3in. Adjustable Flat Bend	EA	10	\$23.64
230-AFB4	4in. Adjustable Flat Bend	EA	10	\$43.56

Roof Inlet

Roof entrance adapters for linesets are the ultimate solution for a professional flat roof installation. Manufactured from UV weather resistant plastics. The Roof Inlet body part is equipped with a slope avoiding possible damage to the insulation and preventing kinks into the copper tubes. The Roof Inlet base holes allow a steady fixation (depending on the roof surface type and composition).



Catalog No.	Description	UOM	Order Multiple	List Price
230-INJ462	SpeediChannel™ Roof Inlet – 10in.	EA	1	\$340.40
230-INJ465	SpeediChannel™ Roof Inlet – 5in.	EA	1	\$324.16

Fittings

Soffit Fitting


Ideal for outdoor applications where the SpeediChannel™ runs up an exterior wall and enters the house vertically through the soffit. Its large flat surface area easily covers the rough opening cut in the soffit. Furnished in two parts, the Soffit Fitting easily snaps onto the SpeediChannel™ for a clean installation.



Catalog No.	Description	UOM	Order Multiple	List Price
230-SF3	3in. Soffit Fitting	EA	10	\$26.36
230-SF4	4in. Soffit Fitting	EA	10	\$42.72

SpeediChannel™

The DiversiTech SpeediChannelSpeediChannel™ is available in three widths, all in 6-1/2 feet lengths.



Catalog No.	Description	UOM	Order Multiple	List Price
230-D3	3in. SpeediChannel™	EA	6	\$60.56
230-D4	4in. SpeediChannel™	EA	6	\$86.40
230-D6	6in. SpeediChannel™	EA	5	\$114.72

Wall Penetration

Wall sleeves and penetration covers are used to transition from the SpeediChannel™ system to a through wall penetration. The wall sleeve creates a neat hole through the wall, and the line set is covered by the wall cover. DiversiTech's wall covers are designed to allow for easy installation - even after the line set has been installed. A unique hooking and fastening arrangement allows for quick and easy installation. Each wall cover is individually packed, and is furnished complete with stainless steel screws to attach the wall cover to the base. Three screws (supplied by others) are needed to fasten the wall cover to whatever type of wall construction the system is being installed on.




Catalog No.	Description	UOM	Order Multiple	List Price
230-WC3	3in. Wall Penetration Cover	EA	10	\$27.52
230-WC4	4in. Wall Penetration Cover	EA	10	\$47.00
230-WC6	6in. Wall Penetration Cover	EA	10	\$58.52
230-WS2	2-1/2in. Wall Sleeve	EA	10	\$20.64

Fittings

90° Flat Bend

90 degree flat bends are used to route the SpeediChannel™ around an obstacle. Each bend is individually packed, and is furnished complete with stainless steel screws.



Catalog No.	Description	UOM	Order Multiple	List Price
230-FB3	3in. 90 degree Flat Bend	EA	10	\$25.08
230-FB3	3in. 90 degree Flat Bend	EA	10	\$25.08
230-FB4	4in. 90 degree Flat Bend	EA	10	\$46.72
230-FB4	4in. 90 degree Flat Bend	EA	10	\$46.72
230-FB6	6in. 90 degree Flat Bend	EA	10	\$52.72

90° Long Radius Bend

90 degree long radius flat bends are used to route the SpeediChannel™ around an obstacle. The long radius of the elbow allows a gentle bending radius on the copper line set. Each elbow is individually packed, and is furnished complete with stainless steel screws.



Catalog No.	Description	UOM	Order Multiple	List Price
230-LFB3	3in. 90 degree Long Radius Bend	EA	10	\$31.56
230-LFB4	4in. 90 degree Long Radius Bend	EA	10	\$37.96
230-LFB6	6in. 90 degree Long Radius Bend	EA	10	\$54.20
230-LFB6	6in. 90 degree Long Radius Bend	EA	10	\$54.20

45° Flat Bend


45 degree flat bends are used to route the SpeediChannel™ around an obstacle. Each bend is individually packed, and is furnished complete with stainless steel screws.



Catalog No.	Description	UOM	Order Multiple	List Price
230-FB453	3in. 45 degree Flat Bend	EA	10	\$25.08
230-FB454	4in. 45 degree Flat Bend	EA	10	\$46.72
230-FB456	6in. 45 degree Flat Bend	EA	10	\$52.72

90° Inside Elbow

90 degree inside elbows are used to route the SpeediChannel™ around an inside corner. Each elbow is individually packed, and is furnished complete with stainless steel screws.




Catalog No.	Description	UOM	Order Multiple	List Price
230-EB3	3in. 90 degree Inside Elbow	EA	10	\$22.48
230-EB4	4in. 90 degree Inside Elbow	EA	10	\$47.60
230-EB6	6in. 90 degree Inside Elbow	EA	10	\$57.32

Fittings

90° Outside Elbow

90 degree outside elbows are used to route the SpeediChannel™ around an outside corner. Each elbow is individually packed, and is furnished complete with stainless steel screws.



Catalog No.	Description	UOM	Order Multiple	List Price
230-EIN3	3in. 90 degree Outside Elbow	EA	10	\$22.48
230-EIN4	4in. 90 degree Outside Elbow	EA	10	\$47.60
230-EIN6	6in. 90 degree Outside Elbow	EA	10	\$57.32

Union Coupling

Used for joining two pieces of SpeediChannel™ — each cover being the same size. Each coupling is individually packed, and is furnished complete with stainless steel screws.



Catalog No.	Description	UOM	Order Multiple	List Price
230-CP3	3in. Union Coupling	EA	10	\$9.28
230-CP4	4in. Union Coupling	EA	10	\$18.40
230-CP6	6in. Union Coupling	EA	10	\$22.24

T-Joint


Used for creating a tee connection between three pieces of SpeediChannel™ — all covers being the same size. The tee can be combined with the reducing coupling to join SpeediChannel™ of different sizes. Each tee is individually packed, and 230-TJ4 is furnished complete with stainless steel screws.



Catalog No.	Description	UOM	Order Multiple	List Price
230-TJ4	4in. T-Joint	EA	10	\$97.40
230-TJ6	6in. T-Joint	EA	10	\$111.16

Flex Joint

An accordion style piece of SpeediChannel™, the flex joint can be extremely flexible routing a SpeediChannel™ system around virtually any type of obstacle. Each joint is 20in. long and can be combined together for longer flex runs. Unlike competitor systems, the DiversiTech flex joint does NOT require the use of a union coupling. The DiversiTech flex joint slides tightly inside the SpeediChannel™ system.



Catalog No.	Description	UOM	Order Multiple	List Price
230-FJ3	3in. Flex Joint	EA	10	\$17.52
230-FJ4	4in. Flex Joint	EA	10	\$34.84

Fittings

Reducer Coupling


Used for joining two pieces of SpeediChannel™ — each cover being a different size. Each coupling is individually packed, and is furnished complete with stainless steel screws.



Catalog No.	Description	UOM	Order Multiple	List Price
230-TC34	3in. x 4in. Reducer Coupling	EA	10	\$16.84
230-TC46	4in. x 6in. Reducer Coupling	EA	10	\$22.24

Duct End


The duct end is used to terminate a run of SpeediChannel™ to a small opening — just large enough for the line set and condensate drain line to pass through. Gives a neat/clean installation.



Catalog No.	Description	UOM	Order Multiple	List Price
230-DE3	3in. Duct End	EA	10	\$14.36
230-DE4	4in. Duct End	EA	10	\$22.80
230-DE6	6in. Duct End	EA	10	\$25.24

Cap


Used to cap the end of a SpeediChannel™ run. Easily snaps into the end of the SpeediChannel™.



Catalog No.	Description	UOM	Order Multiple	List Price
230-DC3	3in. Cap	EA	10	\$12.60
230-DC4	4in. Cap	EA	10	\$14.60
230-DC6	6in. Cap	EA	10	\$14.84

Flat Wall Escutcheon

Typically used to cover a rough opening in a soffit, wall, or ceiling penetration. One side of the escutcheon is flat to allow for a SpeediChannel™ run going along a wall, and penetrating through an adjacent wall or ceiling. This is the most common type of wall penetration. Furnished in two parts, the escutcheon easily snps onto the SpeediChannel™.



Catalog No.	Description	UOM	Order Multiple	List Price
230-FR3	3in. Flat Wall Escutcheon	EA	10	\$11.76
230-FR4	4in. Flat Wall Escutcheon	EA	10	\$13.84
230-FR6	6in. Flat Wall Escutcheon	EA	10	\$15.16

Fittings

Wall Escutcheon


Typically used to cover a rough opening in a wall or ceiling penetration. The hole in the escutcheon is centered to allow for a free standing SpeediChannel™ to penetrate through a wall or ceiling. This is the fairly un-common type of wall or ceiling penetration. Check carefully, as you may need the Flat Wall Escutcheon. Furnished in two parts, the escutcheon easily snaps onto the SpeediChannel™.



Catalog No.	Description	UOM	Order Multiple	List Price
230-WR3	3in. Wall Escutcheon	EA	10	\$13.16
230-WR4	4in. Wall Escutcheon	EA	10	\$15.48
230-WR6	6in. Wall Escutcheon	EA	10	\$17.60

SpeediChannel™ Accessories

A variety of accessories that are complementary or required for installing DiversiTech's SpeediChannel™ system.



Catalog No.	Description	UOM	Order Multiple	List Price
230-DCLIP	SpeediClip™, pack of 50	PK	1	\$29.48
230-DCLIP-10	SpeediClip™ and 11in. Cable Ties, pack of 10	PK	1	\$12.32
230-DSCREW	SpeediChannel™, pack of 100	PK	1	\$42.84

Universal Pump Elbow

The Universal Pump Elbow lets an installer use any mini pump of their choice and install it with SpeediChannel. Includes pump elbow and reservoir mounting brackets to fit most mini-split pumps.



Catalog No.	Description	UOM	Order Multiple	List Price
230-PFB3	Universal Pump Elbow for SpeediChannel - Complete kit	EA	1	\$127.92

SpeediChannel™ Fitting Kits

The SpeediChannel™ Fitting Kits provides a simple mix of the basic fittings used in a typical SpeediChannel™ installation job. Included in the basic kits are one coupling, one wall penetration, one inside elbow, one long radius flat bend, and one pack of ten SpeediClips and 11in. cable ties. The 230-IKC3 and 230-IKC4 Installation kits include three 48" pieces of channel and selected fittings.



Catalog No.	Description	UOM	Order Multiple	List Price
230-IK3	3in. SpeediChannel™ Fitting Kit	EA	1	\$88.72
230-IK4	4in. SpeediChannel™ Fitting Kit	EA	1	\$138.64
230-IKC3	SpeediChannel 3" Installation Kit with 3 pieces of 48" channel	EA	1	\$216.84
230-IKC4	SpeediChannel 4" Installation Kit with 3 pieces of 48" channel	EA	1	\$310.64

Merchandising

Counter Mats

Each counter mat has a specific product focus. The mats are encapsulated with a tough wearing clear plastic cover, and a non-skid rubber back. Most mats are 20in. by 16in.



Catalog No.	Description	UOM	Order Multiple	List Price
MKT-MAT-MSPLIT	SpeediChannel™ Counter Mat	EA	1	\$0.00