

ZONE DAMPER MODELS

ZONEFIRST offers a complete array of dampers, in various sizes and styles, for zoning and other applications. See our complete selection of dampers here.

Wherever there is a duct system, there's a need for a damper.

Control Dampers

Dampers with 1/2" X 4" length shaft.

Manual Dampers

Manually adjustable dampers.

Low Leakage Dampers

With added blade and jamb seals. 24VAC spring return motor. Normally closed, call factory for other options.

Side Mount



CDSwwhh



MDSwwhh



LDSwwhh

Bottom Mount



CDBhww



MDBhww



LDBhww

Round In-Line



CDdd



MDdd



RDSdd


Round Take-Off



CTdd



MTdd



RTSdd

Retro Round Insert



CRRdd



MRRdd

Retro-round dampers not typically applicable with spring return motors.

Line Voltage Spring Return

With 110/120VAC motor. Ships normally closed unless otherwise specified.




ZDLSwwhh



ZDLBwwhh



RDLdd



RTLdd

24V Spring Return

With 24VAC spring return motor. Ships normally open unless otherwise specified.




ZDSwwhh



ZDBwwhh



RDSdd



RTSdd

24V Power Open-Close

With 24VAC Three Wire Motor. Power open - closed with LED position indication.



ZDSMwwhh



ZDBMwwhh



RDMdd



RTMdd

Plug-In Dampers

With plug-in damper motor and 25' modular cord, LED position indication.



ZDSPwwhh



ZDBPwwhh



RDPdd



RTPdd

Outlet Zone Damper - Model OZD

Opposed blade damper with Plug-In Motor and includes 100' plenum rated modular cord. Inserts into the outlet of the duct when there is no access to duct. Inserts into typical outlet boot. Makes zoning retrofits easy.



RRMdd



RRPdd

SELECTION GUIDE

Two Zones

Single-Stage Conventional



PLUG-IN 24V **MMP2**

Two and Three Zones

Single-Stage Conventional



MMP3
MMZ3

Multi-Stage and Heat Pump



H32P
H32

Three Zones or More

Single-Stage/Two-Stage/Heat Pump



MDP3



MZP4
MZS4

Dampers

Side Mount



PLUG-IN 24V 2 WIRE
24V 3 WIRE **ZDSP**
ZDS
ZDM

Rectangular/Square Bottom Mount



ZDBP
ZDB
ZDBM

Outlet Internal



OZD

IOBD

Inline



RDP
RDS
RDM

Inserts



RRP
RRM

Round Take-off



RTP
RTS
RTM

By-Pass Options

Automatic Modulating



SPS

OR



SPC

OR



Rectangular/Square SPRD

Barometric



Round SPRD



Round Take-Off RTB

OR

By-Pass Eliminator™



BPEK

OR



Rectangular/Square Side Mount ZDSM

OR



Rectangular/Square Bottom Mount ZDBM



Round RDM



Controlled Comfort Room by Room

20 Bushes Lane

Elmwood Park, NJ 07407-3204 USA

ZONEFIRST.com | info@ZONEFIRST.com